

**CONSERVATION
COMMISSION**



Town Hall
Room 212
135 School Street
Walpole, MA 02081
Phone (508) 660-7268
Fax (508) 668-2071

*Town of Walpole
Commonwealth of Massachusetts*

March 26, 2020



John Walsh, Walsh Brothers Building Co. Applicant *Original sent*
11 Saddle Way
Walpole, MA 02081

Lawrence Richards Dale Tool & Die Co. - Owner
238 Stone Street
Walpole, MA 02081

Enclosed is the Walpole Conservation Commission's *Order of Conditions* for 300 Stone Street, Walpole, MA, DEP #315-1218 under the Wetlands Protection By-Law and Wetlands Protection Act.

Please note that no work shall commence until the following steps are completed:

1. **Record the Order of Conditions at the Registry of Deeds and return recording information to the Conservation Commission office.**
2. The conditions should be read and signed by the contractor and the form at the end of the Order be returned to the commission
3. Notify the Conservation Commission office when erosion controls are installed and prior to commencement of construction
4. Provide the name and number of the contractor to the Conservation Commission

Please return a copy of the new recording to the Conservation Commission for our records

Very Truly Yours,
Conservation Commission

LH/am

Cc:

Planning (PDF)

Building (PDF)

DEP- SERO – Certified and PDF

Administration (PDF)

GLM Engineering (PDF)



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 315-1218
 MassDEP File # _____
 eDEP Transaction # _____
 Walpole
 City/Town

A. General Information

Please note:
 this form has been modified with added space to accommodate the Registry of Deeds Requirements

Important:
 When filling out forms on the computer, use only the tab key to move your cursor - do not use the return key.



1. From: Town of Walpole
 Conservation Commission

2. This issuance is for (check one):
 a. Order of Conditions b. Amended Order of Conditions

3. To: Applicant:
 John Walsh
 a. First Name b. Last Name

Walsh Brothers Building Co.
 c. Organization

11 Saddle Way
 d. Mailing Address

Walpole MA 02081
 e. City/Town f. State g. Zip Code

4. Property Owner (if different from applicant):
 Lawrence Richards
 a. First Name b. Last Name

Dale Tool & Die Co.
 c. Organization

238 Stone Street
 d. Mailing Address

Walpole MA 02081
 e. City/Town f. State g. Zip Code

5. Project Location:
 Lot 2- 300 Stone Street Walpole
 a. Street Address b. City/Town

34 54
 c. Assessors Map/Plat Number d. Parcel/Lot Number

Latitude and Longitude, if known: 42d08m22s 71d14m30s
 d. Latitude e. Longitude





Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 315-1218
 MassDEP File #

eDEP Transaction #
 Walpole
 City/Town

A. General Information (cont.)

6. Property recorded at the Registry of Deeds for (attach additional information if more than one parcel):
Norfolk County
- | | |
|-------------|--|
| a. County | b. Certificate Number (if registered land) |
| <u>5799</u> | <u>484</u> |
| c. Book | d. Page |
7. Dates:
- | | | |
|--------------------------------|-------------------------------|---------------------|
| <u>1/02/2020</u> | <u>2/26/2020</u> | <u>5/1/2020</u> |
| a. Date Notice of Intent Filed | b. Date Public Hearing Closed | c. Date of Issuance |
8. Final Approved Plans and Other Documents (attach additional plan or document references as needed):
Site Development Plan, Lot 2- 300 Stone Street, Walpole, MA
- | | |
|---|---------------------------------|
| a. Plan Title | |
| <u>GLM Engineering Consultants, Inc.</u> | <u>Joyce E. Hastings P.L.S.</u> |
| b. Prepared By | c. Signed and Stamped by |
| <u>4-24-20</u> | <u>1"=20'</u> |
| d. Final Revision Date | e. Scale |
| <u>NOI w/ECO Tech Wildlife Habitat Evaluation App. B Report</u> | <u>12-16-2019</u> |
| f. Additional Plan or Document Title | <u>12-05-19</u> |

B. Findings

1. Findings pursuant to the Massachusetts Wetlands Protection Act:
- Following the review of the above-referenced Notice of Intent and based on the information provided in this application and presented at the public hearing, this Commission finds that the areas in which work is proposed is significant to the following interests of the Wetlands Protection Act (the Act). Check all that apply:
- | | | |
|---|--|---|
| a. <input type="checkbox"/> Public Water Supply | b. <input type="checkbox"/> Land Containing Shellfish | c. <input checked="" type="checkbox"/> Prevention of Pollution |
| d. <input checked="" type="checkbox"/> Private Water Supply | e. <input checked="" type="checkbox"/> Fisheries | f. <input checked="" type="checkbox"/> Protection of Wildlife Habitat |
| g. <input checked="" type="checkbox"/> Groundwater Supply | h. <input checked="" type="checkbox"/> Storm Damage Prevention | i. <input checked="" type="checkbox"/> Flood Control |
2. This Commission hereby finds the project, as proposed, is: (check one of the following boxes)

Approved subject to:

- a. the following conditions which are necessary in accordance with the performance standards set forth in the wetlands regulations. This Commission orders that all work shall be performed in accordance with the Notice of Intent referenced above, the following General Conditions, and any other special conditions attached to this Order. To the extent that the following conditions modify or differ from the plans, specifications, or other proposals submitted with the Notice of Intent, these conditions shall control.



Massachusetts Department of Environmental Protection
 Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 315-1218
 MassDEP File # _____

eDEP Transaction # _____
 Walpole
 City/Town

B. Findings (cont.)

Denied because:

- b. the proposed work cannot be conditioned to meet the performance standards set forth in the wetland regulations. Therefore, work on this project may not go forward unless and until a new Notice of Intent is submitted which provides measures which are adequate to protect the interests of the Act, and a final Order of Conditions is issued. **A description of the performance standards which the proposed work cannot meet is attached to this Order.**
- c. the information submitted by the applicant is not sufficient to describe the site, the work, or the effect of the work on the interests identified in the Wetlands Protection Act. Therefore, work on this project may not go forward unless and until a revised Notice of Intent is submitted which provides sufficient information and includes measures which are adequate to protect the Act's interests, and a final Order of Conditions is issued. **A description of the specific information which is lacking and why it is necessary is attached to this Order as per 310 CMR 10.05(6)(c).**
- 3. Buffer Zone Impacts: Shortest distance between limit of project disturbance and the wetland resource area specified in 310 CMR 10.02(1)(a) 25
a. linear feet

Inland Resource Area Impacts: Check all that apply below. (For Approvals Only)

Resource Area	Proposed Alteration	Permitted Alteration	Proposed Replacement	Permitted Replacement
4. <input type="checkbox"/> Bank	a. linear feet	b. linear feet	c. linear feet	d. linear feet
5. <input type="checkbox"/> Bordering Vegetated Wetland	a. square feet	b. square feet	c. square feet	d. square feet
6. <input type="checkbox"/> Land Under Waterbodies and Waterways	a. square feet	b. square feet	c. square feet	d. square feet
	e. c/y dredged	f. c/y dredged		
7. <input checked="" type="checkbox"/> Bordering Land Subject to Flooding	19.8	19.8	41.9	41.9
	a. square feet	b. square feet	c. square feet	d. square feet
Cubic Feet Flood Storage	276.4	276.4	875.1	875.1
	e. cubic feet	f. cubic feet	g. cubic feet	h. cubic feet
8. <input type="checkbox"/> Isolated Land Subject to Flooding	a. square feet	b. square feet		
Cubic Feet Flood Storage	c. cubic feet	d. cubic feet	e. cubic feet	f. cubic feet
9. <input checked="" type="checkbox"/> Riverfront Area	10,200	10,200		
	a. total sq. feet	b. total sq. feet		
Sq ft within 100 ft	10,200	10,200		
	c. square feet	d. square feet	e. square feet	f. square feet
Sq ft between 100-200 ft				
	g. square feet	h. square feet	i. square feet	j. square feet



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 315-1218
 MassDEP File # _____

eDEP Transaction # _____
 Walpole
 City/Town

B. Findings (cont.)

Coastal Resource Area Impacts: Check all that apply below. (For Approvals Only)

	Proposed Alteration	Permitted Alteration	Proposed Replacement	Permitted Replacement
10. <input type="checkbox"/> Designated Port Areas	Indicate size under Land Under the Ocean, below			
11. <input type="checkbox"/> Land Under the Ocean	a. square feet	b. square feet		
	c. c/y dredged	d. c/y dredged		
12. <input type="checkbox"/> Barrier Beaches	Indicate size under Coastal Beaches and/or Coastal Dunes below			
13. <input type="checkbox"/> Coastal Beaches	a. square feet	b. square feet	c. $\frac{\text{cu yd}}{\text{nourishment}}$	d. $\frac{\text{cu yd}}{\text{nourishment}}$
14. <input type="checkbox"/> Coastal Dunes	a. square feet	b. square feet	c. $\frac{\text{cu yd}}{\text{nourishment}}$	d. $\frac{\text{cu yd}}{\text{nourishment}}$
15. <input type="checkbox"/> Coastal Banks	a. linear feet	b. linear feet		
16. <input type="checkbox"/> Rocky Intertidal Shores	a. square feet	b. square feet		
17. <input type="checkbox"/> Salt Marshes	a. square feet	b. square feet	c. square feet	d. square feet
18. <input type="checkbox"/> Land Under Salt Ponds	a. square feet	b. square feet		
	c. c/y dredged	d. c/y dredged		
19. <input type="checkbox"/> Land Containing Shellfish	a. square feet	b. square feet	c. square feet	d. square feet
20. <input type="checkbox"/> Fish Runs	Indicate size under Coastal Banks, Inland Bank, Land Under the Ocean, and/or inland Land Under Waterbodies and Waterways, above			
	a. c/y dredged	b. c/y dredged		
21. <input type="checkbox"/> Land Subject to Coastal Storm Flowage	a. square feet	b. square feet		
22. <input type="checkbox"/> Riverfront Area	a. total sq. feet	b. total sq. feet		
Sq ft within 100 ft	c. square feet	d. square feet	e. square feet	f. square feet
Sq ft between 100-200 ft	g. square feet	h. square feet	i. square feet	j. square feet



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 315-1218
 MassDEP File # _____

eDEP Transaction # _____
 Walpole
 City/Town

B. Findings (cont.)

* #23. If the project is for the purpose of restoring or enhancing a wetland resource area in addition to the square footage that has been entered in Section B.5.c (BVW) or B.17.c (Salt Marsh) above, please enter the additional amount here.

23. Restoration/Enhancement *:

a. square feet of BVW _____

b. square feet of salt marsh _____

24. Stream Crossing(s):

a. number of new stream crossings _____

b. number of replacement stream crossings _____

C. General Conditions Under Massachusetts Wetlands Protection Act

The following conditions are only applicable to Approved projects.

1. Failure to comply with all conditions stated herein, and with all related statutes and other regulatory measures, shall be deemed cause to revoke or modify this Order.
2. The Order does not grant any property rights or any exclusive privileges; it does not authorize any injury to private property or invasion of private rights.
3. This Order does not relieve the permittee or any other person of the necessity of complying with all other applicable federal, state, or local statutes, ordinances, bylaws, or regulations.
4. The work authorized hereunder shall be completed within three years from the date of this Order unless either of the following apply:
 - a. The work is a maintenance dredging project as provided for in the Act; or
 - b. The time for completion has been extended to a specified date more than three years, but less than five years, from the date of issuance. If this Order is intended to be valid for more than three years, the extension date and the special circumstances warranting the extended time period are set forth as a special condition in this Order.
 - c. If the work is for a Test Project, this Order of Conditions shall be valid for no more than one year.
5. This Order may be extended by the issuing authority for one or more periods of up to three years each upon application to the issuing authority at least 30 days prior to the expiration date of the Order. An Order of Conditions for a Test Project may be extended for one additional year only upon written application by the applicant, subject to the provisions of 310 CMR 10.05(11)(f).
6. If this Order constitutes an Amended Order of Conditions, this Amended Order of Conditions does not extend the issuance date of the original Final Order of Conditions and the Order will expire on _____ unless extended in writing by the Department.
7. Any fill used in connection with this project shall be clean fill. Any fill shall contain no trash, refuse, rubbish, or debris, including but not limited to lumber, bricks, plaster, wire, lath, paper, cardboard, pipe, tires, ashes, refrigerators, motor vehicles, or parts of any of the foregoing.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
315-1218
MassDEP File #

eDEP Transaction #
Walpole
City/Town

C. General Conditions Under Massachusetts Wetlands Protection Act

8. This Order is not final until all administrative appeal periods from this Order have elapsed, or if such an appeal has been taken, until all proceedings before the Department have been completed.
9. No work shall be undertaken until the Order has become final and then has been recorded in the Registry of Deeds or the Land Court for the district in which the land is located, within the chain of title of the affected property. In the case of recorded land, the Final Order shall also be noted in the Registry's Grantor Index under the name of the owner of the land upon which the proposed work is to be done. In the case of the registered land, the Final Order shall also be noted on the Land Court Certificate of Title of the owner of the land upon which the proposed work is done. The recording information shall be submitted to the Conservation Commission on the form at the end of this Order, which form must be stamped by the Registry of Deeds, prior to the commencement of work.
10. A sign shall be displayed at the site not less than two square feet or more than three square feet in size bearing the words,

"Massachusetts Department of Environmental Protection" [or, "MassDEP"]
"File Number 315-1218 "
11. Where the Department of Environmental Protection is requested to issue a Superseding Order, the Conservation Commission shall be a party to all agency proceedings and hearings before MassDEP.
12. Upon completion of the work described herein, the applicant shall submit a Request for Certificate of Compliance (WPA Form 8A) to the Conservation Commission.
13. The work shall conform to the plans and special conditions referenced in this order.
14. Any change to the plans identified in Condition #13 above shall require the applicant to inquire of the Conservation Commission in writing whether the change is significant enough to require the filing of a new Notice of Intent.
15. The Agent or members of the Conservation Commission and the Department of Environmental Protection shall have the right to enter and inspect the area subject to this Order at reasonable hours to evaluate compliance with the conditions stated in this Order, and may require the submittal of any data deemed necessary by the Conservation Commission or Department for that evaluation.
16. This Order of Conditions shall apply to any successor in interest or successor in control of the property subject to this Order and to any contractor or other person performing work conditioned by this Order.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
315-1218
MassDEP File #

eDEP Transaction #
Walpole
City/Town

C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)

17. Prior to the start of work, and if the project involves work adjacent to a Bordering Vegetated Wetland, the boundary of the wetland in the vicinity of the proposed work area shall be marked by wooden stakes or flagging. Once in place, the wetland boundary markers shall be maintained until a Certificate of Compliance has been issued by the Conservation Commission.
18. All sedimentation barriers shall be maintained in good repair until all disturbed areas have been fully stabilized with vegetation or other means. At no time shall sediments be deposited in a wetland or water body. During construction, the applicant or his/her designee shall inspect the erosion controls on a daily basis and shall remove accumulated sediments as needed. The applicant shall immediately control any erosion problems that occur at the site and shall also immediately notify the Conservation Commission, which reserves the right to require additional erosion and/or damage prevention controls it may deem necessary. Sedimentation barriers shall serve as the limit of work unless another limit of work line has been approved by this Order.
19. The work associated with this Order (the "Project")
- (1) is subject to the Massachusetts Stormwater Standards
 - (2) is NOT subject to the Massachusetts Stormwater Standards

If the work is subject to the Stormwater Standards, then the project is subject to the following conditions:

- a) All work, including site preparation, land disturbance, construction and redevelopment, shall be implemented in accordance with the construction period pollution prevention and erosion and sedimentation control plan and, if applicable, the Stormwater Pollution Prevention Plan required by the National Pollution Discharge Elimination System Construction General Permit as required by Stormwater Condition 8. Construction period erosion, sedimentation and pollution control measures and best management practices (BMPs) shall remain in place until the site is fully stabilized.
- b) No stormwater runoff may be discharged to the post-construction stormwater BMPs unless and until a Registered Professional Engineer provides a Certification that:
- i.* all construction period BMPs have been removed or will be removed by a date certain specified in the Certification. For any construction period BMPs intended to be converted to post construction operation for stormwater attenuation, recharge, and/or treatment, the conversion is allowed by the MassDEP Stormwater Handbook BMP specifications and that the BMP has been properly cleaned or prepared for post construction operation, including removal of all construction period sediment trapped in inlet and outlet control structures;
 - ii.* as-built final construction BMP plans are included, signed and stamped by a Registered Professional Engineer, certifying the site is fully stabilized;
 - iii.* any illicit discharges to the stormwater management system have been removed, as per the requirements of Stormwater Standard 10;



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
315-1218
MassDEP File #

eDEP Transaction #
Walpole
City/Town

C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)

iv. all post-construction stormwater BMPs are installed in accordance with the plans (including all planting plans) approved by the issuing authority, and have been inspected to ensure that they are not damaged and that they are in proper working condition;

v. any vegetation associated with post-construction BMPs is suitably established to withstand erosion.

c) The landowner is responsible for BMP maintenance until the issuing authority is notified that another party has legally assumed responsibility for BMP maintenance. Prior to requesting a Certificate of Compliance, or Partial Certificate of Compliance, the responsible party (defined in General Condition 18(e)) shall execute and submit to the issuing authority an Operation and Maintenance Compliance Statement ("O&M Statement") for the Stormwater BMPs identifying the party responsible for implementing the stormwater BMP Operation and Maintenance Plan ("O&M Plan") and certifying the following:

i.) the O&M Plan is complete and will be implemented upon receipt of the Certificate of Compliance, and

ii.) the future responsible parties shall be notified in writing of their ongoing legal responsibility to operate and maintain the stormwater management BMPs and implement the Stormwater Pollution Prevention Plan.

d) Post-construction pollution prevention and source control shall be implemented in accordance with the long-term pollution prevention plan section of the approved Stormwater Report and, if applicable, the Stormwater Pollution Prevention Plan required by the National Pollution Discharge Elimination System Multi-Sector General Permit.

e) Unless and until another party accepts responsibility, the landowner, or owner of any drainage easement, assumes responsibility for maintaining each BMP. To overcome this presumption, the landowner of the property must submit to the issuing authority a legally binding agreement of record, acceptable to the issuing authority, evidencing that another entity has accepted responsibility for maintaining the BMP, and that the proposed responsible party shall be treated as a permittee for purposes of implementing the requirements of Conditions 18(f) through 18(k) with respect to that BMP. Any failure of the proposed responsible party to implement the requirements of Conditions 18(f) through 18(k) with respect to that BMP shall be a violation of the Order of Conditions or Certificate of Compliance. In the case of stormwater BMPs that are serving more than one lot, the legally binding agreement shall also identify the lots that will be serviced by the stormwater BMPs. A plan and easement deed that grants the responsible party access to perform the required operation and maintenance must be submitted along with the legally binding agreement.

f) The responsible party shall operate and maintain all stormwater BMPs in accordance with the design plans, the O&M Plan, and the requirements of the Massachusetts Stormwater Handbook.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 315-1218
 MassDEP File #

eDEP Transaction #
 Walpole
 City/Town

C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)

- g) The responsible party shall:
 1. Maintain an operation and maintenance log for the last three (3) consecutive calendar years of inspections, repairs, maintenance and/or replacement of the stormwater management system or any part thereof, and disposal (for disposal the log shall indicate the type of material and the disposal location);
 2. Make the maintenance log available to MassDEP and the Conservation Commission (“Commission”) upon request; and
 3. Allow members and agents of the MassDEP and the Commission to enter and inspect the site to evaluate and ensure that the responsible party is in compliance with the requirements for each BMP established in the O&M Plan approved by the issuing authority.

- h) All sediment or other contaminants removed from stormwater BMPs shall be disposed of in accordance with all applicable federal, state, and local laws and regulations.
- i) Illicit discharges to the stormwater management system as defined in 310 CMR 10.04 are prohibited.
- j) The stormwater management system approved in the Order of Conditions shall not be changed without the prior written approval of the issuing authority.
- k) Areas designated as qualifying pervious areas for the purpose of the Low Impact Site Design Credit (as defined in the MassDEP Stormwater Handbook, Volume 3, Chapter 1, Low Impact Development Site Design Credits) shall not be altered without the prior written approval of the issuing authority.
- l) Access for maintenance, repair, and/or replacement of BMPs shall not be withheld. Any fencing constructed around stormwater BMPs shall include access gates and shall be at least six inches above grade to allow for wildlife passage.

Special Conditions (if you need more space for additional conditions, please attach a text document):
see attched

- 20. For Test Projects subject to 310 CMR 10.05(11), the applicant shall also implement the monitoring plan and the restoration plan submitted with the Notice of Intent. If the conservation commission or Department determines that the Test Project threatens the public health, safety or the environment, the applicant shall implement the removal plan submitted with the Notice of Intent or modify the project as directed by the conservation commission or the Department.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 315-1218
 MassDEP File # _____
 eDEP Transaction # _____
 Walpole
 City/Town

D. Findings Under Municipal Wetlands Bylaw or Ordinance

1. Is a municipal wetlands bylaw or ordinance applicable? Yes No
2. The Town of Walpole hereby finds (check one that applies):
 Conservation Commission
- a. that the proposed work cannot be conditioned to meet the standards set forth in a municipal ordinance or bylaw, specifically:

1. Municipal Ordinance or Bylaw _____ 2. Citation _____

Therefore, work on this project may not go forward unless and until a revised Notice of Intent is submitted which provides measures which are adequate to meet these standards, and a final Order of Conditions is issued.

- b. that the following additional conditions are necessary to comply with a municipal ordinance or bylaw:

Walpole Wetland Protection Bylaw ch 561 div 2
 1. Municipal Ordinance or Bylaw _____ 2. Citation _____

3. The Commission orders that all work shall be performed in accordance with the following conditions and with the Notice of Intent referenced above. To the extent that the following conditions modify or differ from the plans, specifications, or other proposals submitted with the Notice of Intent, the conditions shall control.

The special conditions relating to municipal ordinance or bylaw are as follows (if you need more space for additional conditions, attach a text document):
 see attached




Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 315-1218
 MassDEP File # _____
 eDEP Transaction # _____
 Walpole
 City/Town

E. Signatures

Important: When filling out forms on the computer, use only the tab key to move your cursor - do not use the return key.



This Order is valid for three years, unless otherwise specified as a special condition pursuant to General Conditions #4, from the date of issuance.

Please indicate the number of members who will sign this form.

This Order must be signed by a majority of the Conservation Commission.

1. Date of Issuance

4

2. Number of Signers

The Order must be mailed by certified mail (return receipt requested) or hand delivered to the applicant. A copy must be mailed, hand delivered or filed electronically at the same time with the appropriate MassDEP Regional Office.

Signatures:

Albert E. Goetz Jr.
RD Burchesky
RD Burchesky
Emilio D. Vigore

by hand delivery on

by certified mail, return receipt requested, on

Date

Date

5/01/2020

F. Appeals

The applicant, the owner, any person aggrieved by this Order, any owner of land abutting the land subject to this Order, or any ten residents of the city or town in which such land is located, are hereby notified of their right to request the appropriate MassDEP Regional Office to issue a Superseding Order of Conditions. The request must be made by certified mail or hand delivery to the Department, with the appropriate filing fee and a completed Request for Departmental Action Fee Transmittal Form, as provided in 310 CMR 10.03(7) within ten business days from the date of issuance of this Order. A copy of the request shall at the same time be sent by certified mail or hand delivery to the Conservation Commission and to the applicant, if he/she is not the appellant.

Any appellants seeking to appeal the Department's Superseding Order associated with this appeal will be required to demonstrate prior participation in the review of this project. Previous participation in the permit proceeding means the submission of written information to the Conservation Commission prior to the close of the public hearing, requesting a Superseding Order, or providing written information to the Department prior to issuance of a Superseding Order.

The request shall state clearly and concisely the objections to the Order which is being appealed and how the Order does not contribute to the protection of the interests identified in the Massachusetts Wetlands Protection Act (M.G.L. c. 131, § 40), and is inconsistent with the wetlands regulations (310 CMR 10.00). To the extent that the Order is based on a municipal ordinance or bylaw, and not on the Massachusetts Wetlands Protection Act or regulations, the Department has no appellate jurisdiction.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 315-1218
 MassDEP File # _____

eDEP Transaction # _____
 Walpole
 City/Town

E. Signatures

This Order is valid for three years, unless otherwise specified as a special condition pursuant to General Conditions #4, from the date of issuance.

1. Date of Issuance _____

Please indicate the number of members who will sign this form.

This Order must be signed by a majority of the Conservation Commission.

2. Number of Signers _____

The Order must be mailed by certified mail (return receipt requested) or hand delivered to the applicant. A copy also must be mailed or hand delivered at the same time to the appropriate Department of Environmental Protection Regional Office, if not filing electronically, and the property owner, if different from applicant.

Signatures:

_____	_____
_____	_____
_____	_____

by hand delivery on _____

by certified mail, return receipt requested, on _____

Date

Date

F. Appeals

The applicant, the owner, any person aggrieved by this Order, any owner of land abutting the land subject to this Order, or any ten residents of the city or town in which such land is located, are hereby notified of their right to request the appropriate MassDEP Regional Office to issue a Superseding Order of Conditions. The request must be made by certified mail or hand delivery to the Department, with the appropriate filing fee and a completed Request for Departmental Action Fee Transmittal Form, as provided in 310 CMR 10.03(7) within ten business days from the date of issuance of this Order. A copy of the request shall at the same time be sent by certified mail or hand delivery to the Conservation Commission and to the applicant, if he/she is not the appellant.

Any appellants seeking to appeal the Department's Superseding Order associated with this appeal will be required to demonstrate prior participation in the review of this project. Previous participation in the permit proceeding means the submission of written information to the Conservation Commission prior to the close of the public hearing, requesting a Superseding Order, or providing written information to the Department prior to issuance of a Superseding Order.

The request shall state clearly and concisely the objections to the Order which is being appealed and how the Order does not contribute to the protection of the interests identified in the Massachusetts Wetlands Protection Act (M.G.L. c. 131, § 40), and is inconsistent with the wetlands regulations (310 CMR 10.00). To the extent that the Order is based on a municipal ordinance or bylaw, and not on the Massachusetts Wetlands Protection Act or regulations, the Department has no appellate jurisdiction.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 315-1218
 MassDEP File #

eDEP Transaction #
 Walpole
 City/Town

G. Recording Information

Prior to commencement of work, this Order of Conditions must be recorded in the Registry of Deeds or the Land Court for the district in which the land is located, within the chain of title of the affected property. In the case of recorded land, the Final Order shall also be noted in the Registry's Grantor Index under the name of the owner of the land subject to the Order. In the case of registered land, this Order shall also be noted on the Land Court Certificate of Title of the owner of the land subject to the Order of Conditions. The recording information on this page shall be submitted to the Conservation Commission listed below.

Town of Walpole
 Conservation Commission

Detach on dotted line, have stamped by the Registry of Deeds and submit to the Conservation Commission.

To:

Town of Walpole
 Conservation Commission

Please be advised that the Order of Conditions for the Project at:

Lot 2 - 300 Stone Street
 Project Location

315-1218
 MassDEP File Number

Has been recorded at the Registry of Deeds of:

Norfolk
 County

Book

Page

for: Property Owner

and has been noted in the chain of title of the affected property in:

Book

Page

In accordance with the Order of Conditions issued on:

Date

If recorded land, the instrument number identifying this transaction is:

Instrument Number

If registered land, the document number identifying this transaction is:

Document Number

Signature of Applicant



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
Request for Departmental Action Fee
Transmittal Form

DEP File Number:

Provided by DEP

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

A. Request Information

1. Location of Project

a. Street Address

b. City/Town, Zip

c. Check number

d. Fee amount

2. Person or party making request (if appropriate, name the citizen group's representative):

Name

Mailing Address

City/Town

State

Zip Code

Phone Number

Fax Number (if applicable)

3. Applicant (as shown on Determination of Applicability (Form 2), Order of Resource Area Delineation (Form 4B), Order of Conditions (Form 5), Restoration Order of Conditions (Form 5A), or Notice of Non-Significance (Form 6)):

Name

Mailing Address

City/Town

State

Zip Code

Phone Number

Fax Number (if applicable)

4. DEP File Number:

Important:
 When filling out forms on the computer, use only the tab key to move your cursor - do not use the return key.



B. Instructions

1. When the Departmental action request is for (check one):

- Superseding Order of Conditions – Fee: \$120.00 (single family house projects) or \$245 (all other projects)
- Superseding Determination of Applicability – Fee: \$120
- Superseding Order of Resource Area Delineation – Fee: \$120



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
Request for Departmental Action Fee
Transmittal Form

DEP File Number:

Provided by DEP

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

B. Instructions (cont.)

Send this form and check or money order, payable to the *Commonwealth of Massachusetts*, to:

Department of Environmental Protection
Box 4062
Boston, MA 02211

2. On a separate sheet attached to this form, state clearly and concisely the objections to the Determination or Order which is being appealed. To the extent that the Determination or Order is based on a municipal bylaw, and not on the Massachusetts Wetlands Protection Act or regulations, the Department has no appellate jurisdiction.
3. Send a **copy** of this form and a **copy** of the check or money order with the Request for a Superseding Determination or Order by certified mail or hand delivery to the appropriate DEP Regional Office (see <http://www.mass.gov/eea/agencies/massdep/about/contacts/>).
4. A copy of the request shall at the same time be sent by certified mail or hand delivery to the Conservation Commission and to the applicant, if he/she is not the appellant.

SPECIAL CONDITIONS
MA WETLAND PROTECTION ACT AND
WALPOLE WETLANDS PROTECTION BYLAW

28. The stormwater grass swale and sediment basin shown on the plan along the northerly property boundary shall be maintained by the property owner by cleaning out sediment accumulation when it reaches 25% of the capacity of the basin and swale. **CONTINUED CONDITIONS****
29. The perennial stream at the southerly end of the property shall be maintained to allow free flow. **CONTINUED CONDITIONS****
30. No additional alteration of the riverfront area on the lot shall occur beyond the no alteration boundaries as shown on the plan.

CONTINUED CONDITIONS**

31. ****Use of herbicides and pesticides within the buffer zone shall be limited.**
CONTINUED CONDITIONS
32. ****Use of fertilizers shall comply with the requirements of 330 CMR 31.00 including but not limited to CONTINUED CONDITIONS**:**
- a. No fertilizers containing phosphorus shall be applied in the absence of current soil test indicating the supplemental phosphorus is required;
 - b. No fertilizers shall be applied intentionally, or otherwise, to impervious surfaces and if so applied, shall be immediately cleaned up;
 - c. All record keeping requirements shall be followed.

33. ****Roof recharge chambers shall be actively maintained to properly recharge roof run-off.**
CONTINUED CONDITIONS **

34. CERTIFICATE OF COMPLIANCE REQUIREMENTS

Upon completion of this project, the Applicant shall submit the following to the Conservation Commission to receive a Certificate of Compliance.

- a. A letter from the Applicant's engineer certifying that all the work has been completed according to the plan and the DEP Form requesting a Certificate of Compliance.
- b. An "as-built" plan prepared, signed and stamped by a registered professional engineer or land surveyor of the Commonwealth, for the public record.

SPECIAL CONDITIONS
MA WETLAND PROTECTION ACT AND
WALPOLE WETLANDS PROTECTION BYLAW

18. The approved erosion control method is a compost sock or microbial filter mitt of 8- 18 inches (the recommended size for the site conditions), a silt fence staked up-grade with an orange construction fence. The orange construction fence and silt fence can be replaced with an orange silt fence.
19. The erosion controls shall be inspected weekly and/or before and after a rainfall of 1-inch or more. Modifications to the erosion controls shall be made immediately if necessary including removal of accumulated sediments of 25% or greater of the height of erosion controls.
20. Upon final grade, loam and prior to seed and fertilizers are applied silt fence shall be installed along the lot frontage until landscaping is stable (grass has grown in).
21. The site shall be permanently stabilized and the erosion controls inspected and site approved by the Conservation Agent prior to removal of erosion controls.

GENERAL

22. All stockpile areas shall be located outside the buffer zone, or when space is limited, as far as possible from the resource area. Any stockpiles within a resource area buffer zone shall be surrounded by silt fence.
23. All construction debris shall be removed from the site and/or properly secured on site during construction
24. The site perimeter shall be inspected at the end of each construction day and any fallen or blown materials from the project shall be removed from the resource areas and buffer zone.
25. Vehicle fueling shall not take place within regulated resource areas or buffer zones or within 50-feet of the storm drains.
26. During construction sediments are to be kept off the public way. If sediments are tracked onto the public way then the street shall be swept clean by the end of the construction day.
27. The jurisdictional flood plain elevations shall be maintained as shown on the plan no additional filling is allowed to these areas. **CONTINUED CONDITIONS****

**SPECIAL CONDITIONS
MA WETLAND PROTECTION ACT AND
WALPOLE WETLANDS PROTECTION BYLAW**

preferably not placed on a living tree.

9. The Walpole Conservation Commission shall be notified in writing at least two (2) business days in advance of construction to enable the Commission to inspect the site to ensure that the conditions have been met.
10. Failure to comply with this Order of Conditions may result in revocation of this Order of Conditions and may require a refile by the Applicant. If warranted, an Enforcement Order and fines may also apply.
11. The construction site manager or Applicant project manager (persons who will oversee the project on site and who has the ability to make decision) shall furnish the Conservation Agent with their names, address and 24-hour telephone contact number and sign sheet at the end of this Order of Conditions at least two business days before start of any work.

EROSION CONTROLS

12. **Prior to any construction and/or cutting** of vegetation, the location of the erosion controls/limit of work boundary shall be **staked by survey** in the field. The survey stakes shall be placed at the down grade limit of the erosion control location, identified as limit of work on the stake, and securely left in place until removal of erosion controls is approved by Conservation Agent or Commission.
13. The staked erosion control line shall be inspected and approved by the Conservation Agent prior to any other work occurring. ***Inspection**
14. Limited vegetation and tree cutting, prior to erosion control installation, may occur as approved by the Conservation Agent
15. Prior to the beginning of construction, the erosion controls shall be placed **up gradient** of the surveyed stakes and of all resource areas as shown on the plan, between all disturbed areas and the wetlands.
16. All siltation and erosion controls as specified on the plan shall be employed and installed as per manufacturer's specifications except as otherwise directed by the Conservation Commission or its Agent.
17. Any changes to the erosion controls as specified on the plan shall be made in writing to the Conservation Agent or Commission unless the changes are in addition to the proposed.

SPECIAL CONDITIONS
MA WETLAND PROTECTION ACT AND
WALPOLE WETLANDS PROTECTION BYLAW

Finding: This Order of Conditions is for a single family house and associated utilities and grading constructed within the 100-foot buffer zone of BVW and within the 200 foot riverfront area of Spring Brook. The plan includes No Alteration plaques at the 25-foot No Alteration boundary under the Walpole Wetlands Protection Bylaw and infiltration of roof drains.

1. This Order shall apply to any successor in control or successor in interest of the property described in the Notice of Intent and accompanying plans. These obligations shall be expressed in covenants in all deeds to succeeding owners of portions of the property.
2. The Walpole Conservation Commission shall be notified in writing at the time of all transfers of title on this property prior to the issuance of the Certificate of Compliance. All buyers, purchasers, successors and/or assigns shall certify to the Walpole Conservation Commission receipt of a copy of the plan of record, Notice of Intent, and Order of Conditions for this project. A copy of said certificate shall be provided to the Commission upon transfer of title.
3. The Conservation Commission reserves the right to enter upon the property at reasonable hours to inspect the site for compliance with all orders issued herein.
4. The form provided at the end of this Order shall be completed and stamped at the Registry of Deeds. This form should be returned to the Commission prior to the commencement of work. Construction may commence after the expiration of the 10-day appeal period and if no request for appeal has been filed with the Department of Environmental Protection. Any Order not recorded by the Applicant before work commences may be recorded by the Commission at the Applicant's expense.
5. For any change made or intended to be made in the plans or in the work, the applicant shall file a new Notice of Intent or inquire in writing of the Commission whether or not the change is substantial enough to require a new Notice of Intent.
6. This document shall be included in all construction contracts and subcontracts dealing with the work proposed.
7. All contractors and all subcontractors shall be given a copy of this Order of Conditions before they commence to work. During the construction phase for this project, an on-site foreman, directing engineer, or designated construction manager shall have a copy of this Order of Conditions at the site, familiarize him or herself with the conditions of this Order of Conditions and adhere to such conditions.
8. Prior to any work commencing, a sign shall be displayed showing **DEP # 315-1218**

DEP# 315-1218
Location: 300 Stone Street
Plan: GLM Engineering, Inc.
Plan rev. signed 4/24/2020 Joyce Hastings, PLS and Paul E. Truax, PE

SPECIAL CONDITIONS
MA WETLAND PROTECTION ACT AND
WALPOLE WETLANDS PROTECTION BYLAW

37. To be signed by the Managing Contractor and returned to the Conservation Department prior to beginning the project:

I _____, representing _____

have read and have a copy of the above conditions.

Contractor's Signature

Phone Number

*** CONTINUING CONDITIONS

SPECIAL CONDITIONS
MA WETLAND PROTECTION ACT AND
WALPOLE WETLANDS PROTECTION BYLAW

- c. Verification on the As-built plan of the installation and location of the roof infiltrator including the entire location of the manifold system and clean out points.
- d. Location and label of the foundation drain pipe.

BYLAW CONDITIONS

- 35. 25-feet from the wetland boundary shall remain as the No Alteration Area. This is a no build no alteration area. Any change to the no alteration area may be a violation of the Walpole Wetlands Protection Bylaw.
- 36. The following No alteration plaques (NAP) of min. **3” X 5 “** environmental plastic or brass shall be glued with **epoxy and fastened with screws** to concrete or granite bounds in the field at locations shown on the plan and shall be maintained in perpetuity. The Owner agreed to install and maintain the bounds and plaques as a condition of this Order for the purpose of demarcating the permanent “no alteration area” as defined in the Walpole Wetlands Protection Bylaw. **CONTINUING CONDITION****

NO DUMPING OR ALTERATION
OF LAND BEYOND THIS
MARKER
Per Order of the Conservation Commission